



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005592416

Filing Deadline: January 15, 2013

FRN: 0001623321

Filing Date: 01/09/2013 01:58 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: Custer Telephone Cooperative, Inc.

Brand Names: Custer Telephone Wireless  
Syringa Wireless

PO Box: 324

Street Address: 1101 East Main Avenue

City: Challis

State: ID

Zip Code: 83226

Contact Name: Dennis Thornock

Contact Phone: (208) 879-2281

Contact Fax: (208) 879-5211

Contact Email: gm@custertel.net

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

## Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

## Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.custertel.net](http://www.custertel.net)

Explain:

## Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Custer Telephone Maintains a website which contains a list of all hearing aid compatible phones and the HAC ratings of those phones. The website also contains an explanation of the rating system. HAC ratings are included in all phone slicks displayed in our store. Custer Telephone provides appropriate in-store testing of hearing aid compatible handsets. All handsets which have not been rated for handset compatibility for certain air interfaces or frequency bands are appropriately labeled.

## Methodology for Functionality Levels

Low cost handsets with basic features are included in level "A".

Moderate cost handsets with more than basic features are included in level "B".

High end, feature rich handsets are included in level "C".

## Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 30

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent	Excluded Handsets Number	Total by Air Interface
CDMA	24	80%	6	20%			30

## Handset 1: Motorola W385

### Handset Maker

Motorola

### Handset Model Name

W385

### FCC ID

IHDT56HC1

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 03/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

"A" level

### Remarks

## Handset 2: Motorola W845

### Handset Maker

Motorola

### Handset Model Name

W845

W845 Quantico

### FCC ID

IHDT56KS1

IHDT56KS1

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"B" level

#### Remarks

---

### Handset 3: LG LG Nite

#### Handset Maker

LG

#### Handset Model Name

LG Nite

#### FCC ID

BEJLG231C

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/12 to 08/12

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"A" level

#### Remarks

---

## Handset 4: Samsung R100

### Handset Maker

Samsung

### Handset Model Name

R100

### FCC ID

A3LSCHR100

### Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

"A" level

### Remarks

---

## Handset 5: Blackberry 8230 Pearl Flip

### Handset Maker

Blackberry

### Handset Model Name

8230 Pearl Flip

### FCC ID

L6ARCE20CW

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"C" level

#### Remarks

---

### Handset 6: Blackberry 8130 PEARL

#### Handset Maker

Blackberry

#### Handset Model Name

8130 PEARL

#### FCC ID

L6ARBS20CW

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/12 to 12/12

#### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"C" level

#### Remarks

---

### Handset 7: Blackberry BOLD 9650

#### Handset Maker

Blackberry

#### Handset Model Name

BOLD 9650

#### FCC ID

L6ARCS70CW

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

"C" level

**Remarks**

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

**Handset 8: LG 100****Handset Maker**

LG

**Handset Model Name****FCC ID**

100

BEJLG100C

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"A" level

#### Remarks

### Handset 9: Samsung i100 Gem

#### Handset Maker

Samsung

#### Handset Model Name

i100 Gem

#### FCC ID

A3LSCHI100

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 01/12 to 11/12

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"C" level

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.



## Handset 10: Motorola MB809 Milestone X

### Handset Maker

Motorola

### Handset Model Name

MB809 Milestone X

### FCC ID

IHDT56LB1

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 01/12 to 02/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

"C" level

### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

## Handset 11: Samsung i500 Galaxy Showcase

### Handset Maker

Samsung

### Handset Model Name

i500 Galaxy Showcase

### FCC ID

A3LSCHI500

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 01/12 to 11/12

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"C" level

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

### Handset 12: Samsung R261 Chrono

#### Handset Maker

Samsung

#### Handset Model Name

R261 Chrono

#### FCC ID

A3LSCHR261

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 03/12 to 11/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "A"

#### Remarks

### Handset 13: Samsung Repp R680

#### Handset Maker

Samsung

#### Handset Model Name

Repp R680

#### FCC ID

A3LSCHR680

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 02/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Level "C"

**Remarks**

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

**Handset 14: LG LG270 Exchange****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG270 Exchange

BEJVN270

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "B"

#### Remarks

---

### Handset 15: LG LG855 Ignite

#### Handset Maker

LG

#### Handset Model Name

LG855 Ignite

#### FCC ID

BEJLS855

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 03/12 to 05/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "C"

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

---

## Handset 16: SONIM ARMOUR

### Handset Maker

SONIM

### Handset Model Name

ARMOUR

### FCC ID

WYPC21F010AA

### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 05/12 to 11/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Level "B"

### Remarks

## Handset 17: Samsung Galaxy SII R760

### Handset Maker

Samsung

### Handset Model Name

Galaxy SII R760

### FCC ID

A3LSCHR760

### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 08/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "C"

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

### Handset 18: Motorola Milestone 3 XT861

#### Handset Maker

Motorola

#### Handset Model Name

Milestone 3 XT861

#### FCC ID

IHDT56MF1

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 10/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "C"

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

## Handset 19: LG AN510 Prestige

### Handset Maker

LG

### Handset Model Name

AN510 Prestige

### FCC ID

BEJVM510

### Air Interfaces/Frequency Bands

850 MHz CDMA

### Dates

This handset model was offered from: 10/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Level "B"

### Remarks

---

## Handset 20: Motorola Defy XT556

### Handset Maker

Motorola

### Handset Model Name

Defy XT556

### FCC ID

IHDT56NC2

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 10/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "C"

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

### Handset 21: Motorola Razr Maxx XT908

#### Handset Maker

Motorola

#### Handset Model Name

Razr Maxx XT908

#### FCC ID

IHDP56ME1

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 12/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "C"

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.



## Handset 22: Samsung R250 Contour

### Handset Maker

Samsung

### Handset Model Name

R250 Contour

### FCC ID

A3LSCHR250

### Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 03/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

"A" level

### Remarks

---

## Handset 23: LG Axis 740

### Handset Maker

LG

### Handset Model Name

Axis 740

### FCC ID

BEJVS740

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 01/12 to 03/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"C" level

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

### Handset 24: Motorola XT609 Milestone Plus

#### Handset Maker

Motorola

#### Handset Model Name

XT609 Milestone Plus

#### FCC ID

IHDP56LK1

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 01/12 to 05/12

#### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"C" level

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

## Handset 25: LG LG680 Optimus 2

### Handset Maker

LG

### Handset Model Name

LG680 Optimus 2

### FCC ID

ZNFAS680

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

"C" level

### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

## Handset 26: Samsung R720 Admire

### Handset Maker

Samsung

### Handset Model Name

R720 Admire

### FCC ID

A3LSCHR720

### Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 01/12 to 11/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"C" level

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

### Handset 27: LG LG200 Saber

#### Handset Maker

LG

#### Handset Model Name

LG200 Saber

#### FCC ID

BEJUN200

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"B" level

#### Remarks

### Handset 28: LG AN430 Wine II

#### Handset Maker

LG

#### Handset Model Name

AN430 Wine II

#### FCC ID

BEJUN430

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 11/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

"B" level

**Remarks**

---

**Handset 29: Motorola RAZR V3M****Handset Maker**

Motorola

**Handset Model Name****FCC ID**

RAZR V3M

IHDT56FT1

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

"A" level

#### Remarks

---

### Handset 30: Motorola MB867 Milestone X 2

#### Handset Maker

Motorola

#### Handset Model Name      FCC ID

MB867 Milestone X 2      IHDT56MJ1

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 01/12 to 08/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Level "C"

#### Remarks

This handset is appropriately labeled as not having been rated for hearing aid compatibility with respect to certain of the air interfaces and frequency bands on which it operates.

---

# Certification

**This Report has been certified by:**

Dennis L Thornock General Manager

01/09/2013 01:58 PM

Reference Copy